



Search

Advanced Search
Preferences



Web Results 1 - 50 of about 372 for server logging into the external email system as a proxy on behalf of the PTT message sender using the stored user ID and user password and forwarding the PTT message. (0.71 seconds)

Show options...

1. [Methods of transmitting a message to a message server in a push-to ...](#)

Because the PTT system is half-duplex, it is important to manage which ... A PTT access list is used by the end user as a means of controlling who's ... The forwarding DVM sender can then add an associated voice mail to the forwarded voice mail. ... In one embodiment, DVM PoC server 410 is a message store. ... www.patentstorm.us/patents/7415284/description.html - [Similar](#)

2. [W3Gate — A Web access for outsiders - Elsevier](#)

For each request the HTTP Handler contacts a fixed WWW proxy server [16] (currently ... No authentication scheme like e.g. user id and password is supported. ... prefer W3Gate to put an external reference into the message body and to store the ... and X-400 standardisation as expert of the German PTT since 1983. ... linkinghub.elsevier.com/retrieve/pii/S016755299000840 - [Similar](#)
by M Bogen · 1996 · Cited by 8 · [Related articles](#)

3. [Eltisat! Internet Mail \(EIM\)](#)

1) Log on to <http://www.eimail.ae> using your user name and password. ... 1) Response to External Senders. This is the message that is sent to senders who are not ... An e-mail message deleted locally is still on the server. ... User ID: username
2) Check your email forwarding settings from within the web mail ... www.eltisat.ae/index.jsp?contentId...en... - [Cached](#) - [Similar](#)

4. [Glossary - P](#)

In the PAP authentication procedure, an ID/password pair is repeatedly sent by ... A message from a computer that gives instructions to the user. ... a management system, allowing management by proxy — that is, on behalf of the device. ... PTT (postal, telegraph and telephone) The national agency responsible for ... www.gartner.com/6_help/glossary/GlossaryP.jsp - [Cached](#) - [Similar](#)

5. [RFC1392 - RFC-ED HOME](#)

By using the special userid of "anonymous" the network user will bypass local security ... a store-and-forward scheme whereby the message is received from one system ... PTT See: Postal, Telegraph and Telephone queue A backup of packets ... of a piece of email or a Usenet article which identifies the sender. ... www.rfc-editor.org/rfc/rfc1392.txt - [Cached](#) - [Similar](#)

6. [draft-ietf-userglos-glossary-00 - Internet Users'27 Glossary](#)

By using the special userid of "anonymous" the network user will bypass local ... a store-and-forward scheme whereby the message is received from one system ... PTT See: Postal, Telegraph and Telephone Public Domain (PD) Intellectual ... of a piece of email or a Usenet article which identifies the sender. ... tools.ietf.org/html/draft-ietf-userglos-glossary - [Cached](#) - [Similar](#)

7. [CREN - Technology Glossary](#)

COMB> at UNIXGTWY Date: 3/29/86 5:20 PM This is a forwarded message from:
COMB> From: Pol Syrtsov <pol@ptt.chel.su> Organization: JS PTT You could
have the page user-id and/or password set for one thing when the page is What
about GNN and proxy?? Can I install a proxy server without products of ...
aolserver.archive.cleverly.com/GNNEVELOPER-LOG6904.txt - [Cached](#) - [Similar](#)

44. [\[PDF\] Isode General Services Administration Guide](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Directory Server Properties dialog (to manage Directory Server logging configuration)
or EMMA's Message system logger sblerr: print to stderr as well pid: include
process ID managed by a public service provider such as a PTT authority.
MTS or a Message Store, to submit messages for a single user. ...
[www.isode.com/Documentation/GENSERV/pdf](#) - [Similar](#)

45. [Cover Pages: SGML and XML News 2004 Q2](#)

When configured to issue security context tokens, a SOAP message sender can use
the [May 13, 2004] W3C Releases Candidate Recommendation for CSS3 Basic
User [April 16, 2004] Java System Application Server Platform Edition 8 being
implemented in Push-to-Talk (PTT) and geolocation applications. ...
[xml.coverpages.org/news2004Q2.html](#) - [Cached](#) - [Similar](#)

46. [\[PDF\] BlackBerry Enterprise Server](#)

File Format: PDF/Adobe Acrobat
Disable Kodiak PTT. False. 4.0.6. Device IOT Application. Device Diagnostic App
Disable all e-mail messages that the user composes and sends using the
permit the user to access an external file system. Disable Message. Normal
Send user for their key store password each time an application tries ...
[blackberry.interchange.com/BES_Policy_Reference_Guide.pdf](#) - [Similar](#)

47. [System, method and article of manufacture for a communication ...](#)

User fills in the Login Screen fields—User Id and Passcode. Forwarding of
emails to a fax machine does not result in the message being deleted from the
The Object Server delivers the stored multimedia content to the proxy client upon
Telecommunications PTT Cards-The Z3 digits, or less, of the ...
[www.freepatentsonline.com/6909708.html](#) - [Similar](#)
by S Krishnaswamy - 2005 - [Cited by 10](#) - [Related articles](#)

48. [\[PDF\] Information Security Management Handbook 2008](#)

File Format: PDF/Adobe Acrobat
[This site may harm your computer.](#)
Application proxy—A type of firewall that controls external access by Web site to
store information on a user's machine and later retrieve it. Mail relay server—An
e-mail server that relays messages where neither the sender Voice mail—An e-
mail system that allows a regular voice message to be ...
[www.infocsecdaily.com/Articles/Glossary.pdf](#) - [Similar](#)

49. [\[PDF\] Unclassified DSTI/ICCP/SPAM\(2005\)3/FINAL Task Force on Spam ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
SPF and Sender-ID can be used to test whether an e-mail server is These filters
carry the risk that a message using spammer techniques or spectacular messages
in comprehensive anti-spam strategy must take into account the end-user,
recently to log into the email account. Using this IP address, ...
[www.oecd.org/dataoecd/63/28/36494147.pdf](#) - [Similar](#)
by EO English - [Related articles](#) - [All 3 versions](#)

